

Bachelor/Master Exam Version V3B

First Name: _____

Last Name: _____

Immatriculation Number: _____

Course of Studies (please mark exactly one):

- Informatik Bachelor** **Mathematik Master**
 TK Master **Other:** _____

	Maximal Points	Achieved Points
Exercise 1	11	
Exercise 2	9	
Exercise 3	10	
Exercise 4	14	
Exercise 5	9	
Exercise 6	7	
Total	60	
Grade	-	

Instructions:

- On every sheet please give your **first name, last name**, and **immatriculation number**.
- You must solve the exam **without** consulting any **extra documents** (e.g., course notes).
- Make sure your answers are readable. Do not use **red or green pens or pencils**.
- Please answer the exercises on the **exercise sheets**. If needed, also use the back sides of the exercise sheets.
- Answers on extra sheets can only be accepted if they are clearly marked with your name, your immatriculation number, and the **exercise number**.
- **Cross out** text that should not be considered in the evaluation.
- Students that try to cheat **do not pass** the exam.
- At the end of the exam, please return **all sheets together with the exercise sheets**.

Name:

Immatriculation Number:

Exercise 1 (Theoretical Foundations):**(4 + 4 + 3 = 11 points)**

Let $\varphi = p(0, s(0)) \wedge \forall X, Y (p(X, Y) \rightarrow p(s(X), s(s(Y)))) \wedge \neg p(s(0), s(s(0)))$ and $\psi = \exists Z p(Z, s(s(Z)))$ be formulas over the signature (Σ, Δ) with $\Sigma = \Sigma_0 \cup \Sigma_1$, $\Sigma_0 = \{0\}$, $\Sigma_1 = \{s\}$, and $\Delta = \Delta_2 = \{p\}$.

a) Prove that $\{\varphi\} \models \psi$ by means of SLD resolution.

Hint: First transform the formula $\varphi \wedge \neg\psi$ into an equivalent clause set.

b) Explicitly give a Herbrand model of the formula φ (i.e., specify a carrier and a meaning for all function and predicate symbols). You do not have to provide a proof for your answer.

c) Prove correctness of propositional resolution. You may assume that the following is correct: If \mathcal{K} is a set of clauses without variables, S is a model of \mathcal{K} , $K_1, K_2 \in \mathcal{K}$ and R is a resolvent of K_1 and K_2 , then S is a model of $\mathcal{K} \cup \{R\}$.



Name:

Immatriculation Number:

Name:

Immatriculation Number:

Exercise 2 (Procedural Semantics, SLD tree):
(5 + 4 = 9 points)

 Consider the following Prolog program \mathcal{P} .

```

a(X, Y) : -b(s(X)).
a(X, Y) : -b(Y), !, c(X).
a(s(X), s(Y)) : -a(X, Y).
c(s(0)).
b(0).
b(1).
    
```

a) Consider the following query:

 $?- a(A, B).$

For the logic program \mathcal{P}' that results by **removing the cut** from \mathcal{P} , please show a successful computation for the query above (i.e., a computation of the form $(G, \emptyset) \vdash_{\mathcal{P}'}^+ (\square, \sigma)$ where $G = \{-a(A, B)\}$). It suffices to give substitutions only for those variables which are used to define the value of the variables A and B in the query.

Name:

Immatriculation Number:

b) Please give a graphical representation of the SLD tree for the query

?- a(A,B).

in the program \mathcal{P} **with the cut**. For every part of the tree that is cut off by evaluating **!**, please indicate the cut by marking the corresponding edge. For the cut-off parts only indicate the first cut-off goal, but do not evaluate further.

Name:

Immatriculation Number:

Exercise 3 (Fixpoint Semantics):**(5 + 2 + 3 = 10 points)**

Consider the following logic program \mathcal{P} over the signature (Σ, Δ) with $\Sigma = \Sigma_0 \cup \Sigma_1$, $\Sigma_0 = \{0\}$, $\Sigma_1 = \{s\}$, and $\Delta = \Delta_3 = \{p\}$.

$$p(0, s(X), X).$$
$$p(s(X), s(Y), s(s(Z))) \text{ :- } p(X, Y, Z).$$

- a) For each $n \in \mathbb{N}$ explicitly give $\text{trans}_{\mathcal{P}}^n(\emptyset)$ in closed form, i.e., using a non-recursive definition.
- b) Compute the set $\text{lfp}(\text{trans}_{\mathcal{P}})$.
- c) Give $F[\mathcal{P}, \{\neg p(s(s(0))), s(s(X)), Y\}]$.

Name:

Immatriculation Number:

Exercise 4 (Definite Logic Programming):

(8 + 6 = 14 points)

- a) Implement the predicate `incr/2` in Prolog. This predicate can be used to identify the longest increasing prefix $[a_0, \dots, a_n]$ of a list $[a_0, \dots, a_n, a_{n+1}, \dots, a_m]$ such that for all $i \in \{0, \dots, n\}$ it holds that $a_i = a_0 + i$. The first argument of `incr` is the list to analyze. The second argument is the increasing prefix as described above.

As an example, for the list $[1, 2, 3, 2, 1]$ the result $[1, 2, 3]$ is computed (because $a_3 = 2$ is not equal to $1 + 3$). In Prolog, the corresponding call

```
incr([s(0), s(s(0)), s(s(s(0))), s(s(0)), s(0)], Res)
```

should return the only answer `Res = [s(0), s(s(0)), s(s(s(0)))]`.

Important: You may not use the cut, negation or any other predefined predicates in your implementation! However, you may implement auxiliary predicates.

Name:

Immatriculation Number:

b) The Collatz sequence n_0, n_1, \dots for some initial value $n_0 > 0$ is defined as

$$n_{i+1} = \begin{cases} n_i/2, & \text{if } n_i \text{ is even} \\ n_i * 3 + 1, & \text{otherwise} \end{cases}$$

It can easily be seen that if $n_i = 1$ then the sequence will continue: 4, 2, 1, 4, 2, 1, We define the function `collatz_len(n_0)` for a start value n_0 as the smallest i such that $n_i = 1$. Note that it is a famous open problem if all start values will eventually reach 1 or if there are other loops or diverging sequences.

Some examples for the length of the Collatz sequence:

- `collatz_len(1)` = 0, since $n_0 = 1$
- `collatz_len(2)` = 1, since $n_0 = 2, n_1 = 1$
- `collatz_len(3)` = 7, due to the Collatz sequence 3, 10, 5, 16, 8, 4, 2, 1
- `collatz_len(4)` = 2

Implement the predicate `collatz_len/2` in Prolog that calculates the length of the Collatz sequence for a given initial value. It may behave arbitrarily if the length of the sequence starting in n_0 is not defined or $n_0 \leq 0$.

As an example, `collatz_len(3, Z)` gives the answer substitution $Z = 7$.

Hints:

- You may only use the built-in predicate `is/2`, the cut and the usual arithmetic operators such as `mod`, `+`, `*`, `-`, `/`.

Name:

Immatriculation Number:

Exercise 5 (Meta-Programming):

(9 points)

Consider the function `havoc(t)`, which takes a ground term `t` and reverses the order of all arguments in `t` and any subterm of `t`. Please implement the predicate `havoc/2` that implements this function. For example, the query `?- havoc(a(b,c(d,e)), X)` yields the answer substitution `X = a(c(e,d),b)`.

Hints:

- You may use the built-in predicate `=../2`.
- You may use the built-in predicate `reverse/2` which reverses lists.

Name:

Immatriculation Number:

Exercise 6 (Difference Lists):**(7 points)**

Consider the following logic program \mathcal{P} .

$$q(X) \text{ :- } p(X - [], [1,2,3,4] - []).$$
$$p([_ | X] - X, Y - Y).$$
$$p([A | X] - X2, Y - Y2) \text{ :- } p(X - X2, Y - [A | Y2]).$$

Explicitly give the set of all ground terms t for which the query $?- q(t)$ succeeds. You do not have to provide a proof for your answer.